

## Factsheet NL

### Capaciteit

- Tot 2500 personen

### Specificaties hangaar Buitenmaat

- 74 m lang x 53 m breed

### Specificaties hangaar Binnenmaat

- 70 m lang x 37 m breed
- 2500 m2 netto (inclusief VIP-Lounge)
- Vloersoort: beton

### Hoogtes

- Hoogte zijkant: 7,95 m
- Hoogte nok: 10,65 m

### Transportdeuren

- Aantal: 2
- Afmetingen: 3,90 m hoog x 4 m breed
- Onbepaalde directe toegang tot hal

### Verlichting

- Basis sfeerverlichting: dimbaar
- Basis werkverlichting (TL): niet dimbaar
- Vergader-, congres- en productieruimten (TL): niet dimbaar
- Artiestenkleedkamers: sfeerverlichting

### Hazer

- Gebruik van hazer dient vooraf bij productie Hangaar2 gemeld te worden i.v.m. opererend brandmeldsysteem.
  - De 'hal' is niet voorzien van rookmelders.
  - De lean-to gebouwen inclusief gangen, en VIP Lounge zijn voorzien van rookmelders.
  - Indien er zones uitgeschakeld moeten worden, dienen er brandwachten ingezet te worden.

### Aanwezige facilitaire voorzieningen

- Draadloos internet
- Ruime mate van (kracht)stroomaanvoerpunten (exclusief bekabeling en verdeelkasten) (verbruik op nacalculatie)
  - 3\*400A verdeeld over diverse aansluitingen van 125A, 63A, 32A CEE Form
- Water aan- en afvoer (exclusief aansluitingen en slangen)
- Verwarming
- Digitale tekeningen (SketchUp of AutoCAD)
- 4 toiletgroepen aanwezig
- Parkeerterrein aanwezig voor en achter de Hangaar. Ongeveer 240 parkeerplaatsen.
- Uitbreiding parkeerterrein mogelijk op aanvraag
- Basis sfeerverlichting- niet inbegrepen in de huurprijs

### Extra ruimten

- 1 crewruimte van 70m2
- 1 cateringruimte van 80m2
- 4 subruimtes van 60m2
- 3 subruimtes van 30m2
- 1 subruimte van 120m2
- 1 VIP-Lounge/Deck van 120m2
- 3 subruimtes tussen 55m2 en 77m2
- Diverse opslagruimtes

### Afmetingen Banners

Banners achterkant Hangaar2:

- 1 535 \* 440 cm (1 banner)
- 2 820 \* 295 cm (2 banners)

Banner voorkant Hangaar2:

- 3 1170 \* 295 cm (frame is 1200 \* 325 cm)
- 4 280 \* 280 cm (frame is 300 \* 300 cm)



## Factsheet EN

### Capacity

- Up to 2500 persons
- 

### Hangar Outer Dimensions

- 74m in length x 53m in width

### Hangar Inner Dimensions

- 70m in length x 37m in width
- 2400 m<sup>2</sup>
- 2500 m<sup>2</sup> (including VIP-Lounge)
- Surface type: concrete

### Heights

- Roof clearance sides: 7,95m
- Roof clearance ridge: 10,65 m

### Cargo Doors

- Number: 2
- Dimensions: 3,90m in height x 4m in width
- Onbeperkte directe toegang tot hal

### Lighting

- Basic ambient lighting: dimmable
- Basic work light (TL): not dimmable
- Meeting-, congress- and production rooms (TL): not dimmable
- Dressing rooms for artists (backstage): ambient light

### Hazer

- Use of hazer must be mentioned to Hangaar2 prior to event, due to operating fire alarm system.
  - The 'Hangar/hall' is not equipped with smoke detectors.
  - The lean-to buildings including hallways and VIP Lounge are equipped with smoke detectors.
  - Should alarm zones need to be switched off during the event, fire marshalls will be needed on site.

### Present technical facilities

- Free Wireless internet
- Electricity: 3x400A total income
- Water supply and water drain (exclusive connections and hose)
- Heating
- Digital Sketch (SketchUp of AutoCAD)
- 14 emergency exits
- 2 Main entrances
- There is a car park with 240 places around the hangar.
- Parking expansion is possible on request.
- Dimmable lighting is not included in the rental price

### Additional Rooms

- 1 70m<sup>2</sup> crew lounge
- 1 80m<sup>2</sup> catering area
- 4 60m<sup>2</sup> break-out room
- 3 30m<sup>2</sup> break-out rooms
- 1 120m<sup>2</sup> break-out room
- 1 120m<sup>2</sup> VIP-Lounge/Deck
- 3 break-out rooms between 55m<sup>2</sup> and 77m<sup>2</sup>
- Several storage rooms

### Dimensions Banners

Banners at the back of the hangar:

- 1 535 \* 440 cm (1 banner)
- 2 820 \* 295 cm (2 banners)

Banner in front of the hangar

- 3 1170 \* 295 cm (frame is 1200 \* 325 cm)
- 4 280 \* 280 cm (frame is 300 \* 300 cm)



## Geluidsrapport Hangaar2

Locatie: Hangaar2			
	07.00 uur tot 19.00 uur	19.00 uur tot 23.00 uur	23.00 uur tot 07.00 uur
Popmuziek	98	93	88
Livemuziek	97	92	87
Housemuziek	93	88	83

Locatie: Open lucht 1 (Spot 22)			
	07.00 uur tot 19.00 uur	19.00 uur tot 23.00 uur	23.00 uur tot 07.00 uur
Pop & Livemuziek	87-92	82-87	77-82
Housemuziek	83-88	78-83	73-78

Locatie: Open lucht 2 (Platform)			
	07.00 uur tot 19.00 uur	19.00 uur tot 23.00 uur	23.00 uur tot 07.00 uur
Pop & Livemuziek	85-90	80-85	75-80
Housemuziek	82-87	77-82	72-77

## Soundplan Hangaar2

Location: Hangaar2			
	07.00 AM till 07.00 PM	07.00 PM till 11.00 PM	11.00 PM till 07.00 AM
Pop music	98	93	88
Live music	97	92	87
House music	93	88	83

Locatie: Open space 1 (Spot 22)			
	07.00 AM till 07.00 PM	07.00 PM till 11.00 PM	11.00 PM till 07.00 AM
Pop & live music	87-92	82-87	77-82
House music	83-88	78-83	73-78

Location: Open space 2 (Platform)			
	07.00 AM till 07.00 PM	07.00 PM till 11.00 PM	11.00 PM till 07.00 AM
Pop & live music	85-90	80-85	75-80
House music	82-87	77-82	72-77

# Frequentielijst / Frequency overview

d.d. 23-06-2016

Onderstaande zenders zijn in gebruik bij Soldaat van Oranje – De Musical. Deze frequenties dienen vrijgehouden te worden tijdens speeldagen van de musical.

Frequencies stated below are in use during the Soldaat van Oranje – De Musical production. These frequencies need to be kept available during musical performance days.

Zenders SvO		Communicatie SvO			I.E.M SvO		Ringleiding	
	Frequentie		Frequentie			Frequentie		Frequentie
			TX	RX				
1	488.870	1	710.500	565.400	1	842.400	1	864.375
2	516.000	2	710.800	565.400	2	840.550		
3	516.950	3	711.900	565.400	3	851.400		
4	541.275	4	714.000	565.400	4	848.400		
5	546.100	5	704.200	558.000	5	863.124		
6	546.100	6	704.700	558.000				
7	552.475	7	705.400	558.000				
8	553.225	8	708.100	558.000				
9	554.775							
10	554.925							
11	557.800							
12	571.750							
13	583.100							
14	584.975							
15	587.175							
16	592.300							
17	595.575							
18	604.675							
19	605.500							
20	608.000							
21	609.075							
22	611.800							
23	622.000							
24	623.025							
25	623.550							
26	650.605							
27	657.375							
28	660.850							
29	663.100							
30	668.150							
31	670.725							
32	676.875							
33	703.705							
34	738.525							
35	741.300							
36	742.175							
37	743.875							
38	745.075							
39	746.875							
40	750.200							
41	751.100							
42	752.200							
43	752.725							